

Amendment to the Claims:

The listing of claims set forth below replaces all prior versions and listing of claims in the application:

Listing of Claims:

Claim 1 (currently amended): An engine performance demonstration unit, comprising:
a mobile carrier;
an engine mounted to said mobile carrier;

5 ~~aftermarket apparatus~~ a magnet for use with said engine to modify the properties of fuel
to be combusted by said engine and thereby affect the operation of said engine; and
a switch mechanism for switching said ~~aftermarket apparatus~~ magnet into operation and
out of operation ~~while so that the fuel coupled to the engine has modified properties when said~~
10 ~~magnet is switched into operation, and the fuel coupled to the engine does not have modified~~
~~properties when said magnet is switched out of operation, said engine is~~ remains running to
thereby affect said engine accordingly irrespective of whether the magnet is switched into
operation or out of operation.

Claim 2 (currently amended): The engine performance demonstration unit of claim 1,
further including a visual display for visually showing the difference in engine operation ~~of when~~
the ~~aftermarket apparatus is~~ magnet is operational and nonoperational.

Claim 3 (currently amended): The engine performance demonstration unit of claim 2,
wherein said visual display ~~comprised~~ comprises two visual displays, one visual display showing
an engine performance parameter when the ~~aftermarket apparatus is~~ magnet is not operational,
and a second visual display showing the engine performance parameter when the ~~aftermarket~~
~~apparatus is~~ magnet is operational.

Claim 4 (original): The engine performance demonstration unit of claim 2, wherein said visual display displays a flow rate of fuel to said engine.

Claim 5 (original): The engine performance demonstration unit of claim 2, wherein said visual display displays a parameter related to a pollutant emitted by said engine.

Claim 6 (currently amended): The engine performance demonstration unit of claim 1, ~~wherein said aftermarket apparatus comprises a magnet that influences the molecules of fuel~~ not including a heater associated with a fuel line for heating the fuel.

Claim 7 (original): The engine performance demonstration unit of claim 1, wherein said switch mechanism comprises a valve for switching fuel.

Claim 8 (original): The engine performance demonstration unit of claim 1, wherein said switch mechanism comprises an articulated mechanism for holding a plurality of magnet assemblies, said articulated mechanism is hinged for operation for moving said magnet assemblies into and out of magnetic influence with a fuel line.

Claim 9 (original): The engine performance demonstration unit of claim 8, wherein said articulated mechanism includes a plurality of segments, each segment for attachment thereto of a respective magnet assembly, and each segment hinged to an adjacent segment by a hinge.

Claim 10 (currently amended): The engine performance demonstration unit of claim 1, wherein said articulated mechanism comprises a carrier for holding said ~~aftermarket apparatus~~ magnet is in a position spaced apart from a fuel line and thus does not influence the fuel in said fuel line, and wherein said carrier is movable to a position wherein said ~~aftermarket apparatus~~ magnet is adjacent said fuel line.

Claim 11 (currently amended): The engine performance demonstration unit of claim 10, wherein said ~~aftermarket apparatus~~ magnet comprises a three-part magnet, each said magnet held in a respective metal frame.

Claim 12 (currently amended): The engine performance demonstration unit of claim 1, further including a branched fuel line comprising a valve for switching fuel to either of two branches, one branch having said ~~aftermarket apparatus~~ magnet is coupled therein, and the other branch coupling fuel ~~directly~~ from said valve to said engine.

Claim 13 (original): The engine performance demonstration unit of claim 1, further including a catalytic converter switched into and out of operation with respect to exhaust gasses of the engine.

Claim 14 (original): The engine performance demonstration unit of claim 1, further including a load that is switchable into and out of operation with respect to said engine, said load providing a resistance to torque produced by said engine.

Claim 15 (previously presented): The engine performance demonstration unit of claim 1, wherein said mobile carrier comprises a wheeled trailer to which said engine is mounted for mobile movement, said wheeled trailer adapted for being pulled by a vehicle over a highway.

Claims 16-20 (canceled):

Claim 21 (currently amended): The engine performance demonstration unit of claim 1, further including a programmed processor for controlling said switch mechanism for switching said ~~aftermarket apparatus~~ one or more magnets into and out of operation.

Claim 22 (currently amended): The engine performance demonstration unit of claim 1, further including a programmed processor for monitoring engine performance parameters before said aftermarket apparatus magnet has been switched into operation and after said aftermarket apparatus magnet has been switched into operation, and providing a visual display of said parameters.

Claim 23 (previously presented): The engine performance demonstration unit of claim 22, wherein said programmed processor stores the engine performance parameters and provides a visual display of the stored parameters.

Claim 24 (currently amended): The engine performance demonstration unit of claim 23, wherein said programmed processor is programmed to ~~simultaneously~~ display an engine performance parameter on a first display resulting from the ~~aftermarket apparatus magnet~~ switched ~~in and out of~~ out of operation, ~~and simultaneously display on a second display the engine performance parameter resulting from the magnet switched into operation.~~

Claim 25 (currently amended): The engine performance demonstration unit of ~~claim 24;~~ claim 23, wherein said programmed processor is programmed to store an engine performance parameter when the magnet is switched into operation, and programmed to store the engine performance parameter when the magnet is switched out of operation, and programmed to calculate and display a difference between said engine performance parameters parameter stored when the magnet is switched into operation and the engine performance parameter stored when the magnet is switched out of operation.

Claim 26 (currently amended): A method of demonstrating the affect of aftermarket apparatus on the performance of an engine, comprising the steps of:

providing a mobile carrier adapted for ~~towing with a vehicle~~ transport on a highway;

providing the mobile carrier for carrying said engine;

5 providing aftermarket apparatus mounted to the engine to modify the properties of fuel to be combusted by said engine, where said aftermarket apparatus is not ~~a coil for heating~~ apparatus that heats the fuel ~~when a liquid form;~~ and

providing a switch mechanism for switching the aftermarket apparatus into and out of operation ~~while the engine is operating so that the fuel coupled to the engine has modified~~
10 properties when said aftermarket apparatus is switched into operation, and the fuel coupled to the engine does not have modified properties when said aftermarket apparatus is switched out of operation, said engine remains running to thereby affect said engine accordingly irrespective of whether the aftermarket apparatus is switched into operation or out of operation, and

providing an indication of the affect thereof on the engine performance.

15 Claim 27 (previously presented): A method of demonstrating the affect of magnets on the performance of an engine, comprising the steps of:

providing a mobile carrier;

providing the mobile carrier for carrying said engine;

providing one or more magnets to influence molecules of fuel fed to said engine;

20 providing a switch mechanism for switching the one or more magnets into and out of operation while the engine is operating to thereby provide an indication of the affect thereof of the one or more magnets on the engine performance; and

providing a visual indication during engine operation of the affect of the one or more magnets on the engine performance.